

Knowledge City, Sector-81 Village Molly S.A.S Nagar, Mohali 160 306, Punjab, India



A National Institute under the Department of Biotechnology (Govt. of India)

CIAB/1(438)17-18/ Pur

24.01. 2018

CORRIGENDUM

SUPPLY AND INSTALLATION **HPLC SYSTEM**

Attention is invited to the limited Tender ref no. CIAB/1/(438)/17-18/N Pur for the supply and Installation HPLC System. The tender opening date has been extended as:

Tender Reference	As per Published Tender	Extended as
CIAB/1(438)/17-18/pur	Tender Opening Dated: 22.01.2018	Extended Tender Opening Dated: 06.02.2018

2. The remaining specifications and term & conditions of the tender are remains same. The Chief Executive Officer, CIAB reserves the right to accept or reject any offer without assigning any reason.

S/d

(Hardip Singh) Store and Purchase Officer

さず川図/Tal・0172-5221511

전체로로/Wahrita · www.ciah res in



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

CIAB/ 1 (438)/17-18/N-Pur

27.12.2017

NOTICE INVITING QUOTATION

1. Sealed Quotations in TWO BID SYSTEM are invited on behalf of Chief Executive Officer CIAB, Mohali for the purchase of following items so as to reach latest by 22.01.2018 on or before 2.30 pm. Technical and Commercial bids should be sent in separate sealed envelopes and enclosing them in a common sealed cover. The Quotations will be opened on the same day i.e. by 22.01.2018 at 3.00 pm in the presence of tenderers or their authorized representative, if any. Your quotation should be in sealed cover which should be enclosed in an outer envelope. Unsealed quotations shall not be considered. The inner sealed cover should be clearly superscribed as "Quotation against Tender CIAB/1(438)/17-18/N. Pur "for supply of HPLC System" on by 22.01.2018. No quotation will be considered until and unless quotation is signed with full signatures and carries the stamp of the tenderers.

A person signing the quotation or any other document forming part of the contract on behalf of the firm shall be deemed to warranty that he has the authority to bind the firm for all purposes/conditions/clauses of the contract/quotation and if in any state it is found that the person so signing had no authority to do so, the Institute may, without prejudice to other civil and criminal remedies against the contract, hold the signatory and the firm liable for all costs and damages.

S.No.	Description	Qty
01	HPLC System	One (01)

<u>Technical specifications:</u> Binary Gradient High Pressure Analytical HPLC system with following configurations

HPLC

- 1. High pressure binary pump with wide range of flow rate up to 9.9 ml/min or better.
- 2. Precision: 0.1% or less.
- 3. The machine should be operable both in isocratic and gradient mode.
- 4. Maximum operating pressure: 400 bar or more.
- 5. The pump should be corrosion resistant and applicable to wide range of pH and solvents
- 6. Flow accuracy: 1% or better.

Degasser Unit

1. Degassed solvent channels: 2 or more channels.

Auto sampler

- 1. The auto sampler should work with injection volume up to 100 μl.
- 2. Tray capacity of 90 vials or more.
- 3. Auto sampler with provision of rinsing of needle between injections with variable injection volume.
- 4. Carry over: 0.1% or better.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

Column oven

- 1. Oven should have temperature control system.
- 2. Operating temperature: ambient to 80°C or more.
- 3. Should be able to hold 30 cm column in either horizontal or vertical format.
- 4. Accuracy: ± 0.5°C or less.

PDA/DAD detector

- 1. Wavelength range: 190 to 800 nm or wider.
- 2. Wavelength accuracy: ± 1 nm (maximum)
- 3. Drift: 1×10^{-3} AU/ hr or less.
- 4. Linearity: 2 AU or more.

RI detector

- 1. Drift: 2×10⁻⁷ RIU/ hr or less.
- 2. RI range: 1-1.75 RIU or better.
- 3. Flow cell volume: 9 µL or less.
- 4. Noise: 2.5 ×10⁻⁹ RIU or less.

Software and hardware

- 1. The software should be original and authenticate and capable of having single point control of all system dependable components.
- 2. The software should be compatible for running GPC/SEC analysis and its calibration.
- 3. Should have option for report generation, online help and answer Real time view of the chromatograms.
- 4. One branded desktop computer (processor Intel core i7 @3.40 GHz; RAM 16 GB; Memory 1 TB; screen size 23 inch or more; DVD writer drive; keyboard and mouse) with LaserJet color multifunction printer.

Optional accessories:

- Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H₂SO₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size Two Nos.
- Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose etc.) in H₂O using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos.
- 3. C18 column with dimensions: 250 mm L and 5 μ m particle size **Two Nos**.
- 4. Appropriate guard column should be provided- **Two Nos**.
- 5. Consumables (HPLC vial with septa of 200 Nos.; syringe needles of 5 Nos.; glass solvent filters of 10 Nos. and other sufficient number of fragile or frequently changing parts).
- 6. All the accessories prices should be included in the quote separately.

General conditions:

1. All the mainframe components of the HPLC (Auto sampler, detectors, pumps, and column oven, software, analysis columns) must be from the same manufacturer.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

- 2. The system should be capable for running GPC/SEC analysis.
- 3. All other accessories and peripherals required for installation, functioning and regular maintenance of the system must be quoted with the instrument.
- 4. The system should be stand alone with respect to all functionalities of the machine and its accessories, peripherals, add-on like PC, Printer, and Software.
- 5. Appropriate capacity of branded UPS with a backup time of 30 min or more should form part of the core system itself and its cost (if any) should be clearly mentioned in the financial bid.
- 6. The financial bid must contain itemized prices for each item.
- 7. A list of users in India (particularly Govt. of India R& D organizations) and a copy of at least 3 latest purchase orders of the similar model of the instrument executed in Gov. R&D organizations in the recent years should be enclosed.
- 8. The system should be suited to Indian system of electrical inputs (220V/50Hz).
- 9. The manufacturing firm should have CE certification.
- 10. Warranty: One year or more for complete instrument with all modules and labour.

Failing in compliance may cause cancellation of the bid without any further notice/information.

BEFORE QUOTING PLEASE REFER THE INSTRUCTIONS ATTACHED CAREFULLY

Yours faithfully,

Stores and Purchase Officer Tele: 0172-5221522

E-mail: hardipbpu@gmail.com



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

INSTRUCTIONS

- All accessories required for successful installation, functioning and regular maintenance of the systems must be quoted
- Warranty: Minimum one year. Additional AMC for subsequent five years to be quoted as optional in **Annexure 'E'** for the purpose to freeze the AMC Charges beyond the warranty period.
- The system should be suited to Indian system of electrical inputs (220V/50Hz).
- Inquiry will be sent by UPC/Courier/Speed Post/E-mail and CIAB will not be liable for any kind of Postal delay.
- The Quotation Should be addressed to the Chief Executive Officer, CIAB, Mohali invariably giving on the envelop Reference No. with date and Due date with time.
- The Quantity mentioned in this inquiry and shall be deemed to be only approximate and will not in any manner be binding on the Institute.
- The quotation should be enclosed in a sealed envelope.
- Firms will quote separately for each article.
- <u>Tender fee</u>: The tenderer should submit tender fee of Rs. 1180/- in form of Bank Demand Draft favoring, Chief Executive Officer, CIAB payable at Chandigarh/Mohali. The tender without tender fee will be summarily rejected. The tender fee should be submitted alongwith Technical BID.
- <u>Earnest Money Deposit (EMD)</u>: The tenderer should submit <u>EMD</u> of Rs. 75000/- in form of Bank Demand Draft favoring, Chief Executive Officer, CIAB payable at Chandigarh/Mohali. The tender without EMD will be summarily rejected. The EMD should be submitted alongwith Technical BID.
- Opening of BIDS: Technical and Commercial bids should be sent in separate sealed envelopes and enclosing them in a common sealed cover should be submitted on 22.01.2018 at 2.30 pm. The Technical Bid will be opened on the same day i.e. 22.01.2018 at 3.00 pm in the presence of tenderers or their authorized representative, if any. Your quotation should be in sealed cover which should be enclosed in an outer envelope. Unsealed quotations shall not be considered. The inner sealed cover should be clearly superscribed as "Quotation against Tender CIAB/1(438)/17-18/N-Pur "for supply of HPLC System" on 22.01.2018.

Price BID of technically qualified parties will be opened subsequently. The Intimation of the same will be given to the technically qualified parties.

If any unscheduled holiday occurs on the date of submission/opening, then next working day shall be the prescribed date of submission/opening. Requests for postponement will not be entertained.

• Prices:

A) For goods manufactured with India: (Format as per Annexure "B")

(i) The price of goods quoted Ex-Works including taxes already paid.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

- (ii) VAT and other taxes like excise duty etc. which will be payable on the goods if the contract is awarded.
 - (a) The charges for inland transportation, insurance and other local service required for delivering the goods at the desired destination as specified in the price schedule form.
 - (b) The installation, commissioning and training charges including any incidental services, if any.
- B) For goods manufactured abroad: (Format as per Annexure "C")
 - (i) The price of the goods, quoted on FCA (including inland freight) (Named place of delivery abroad) or FOB (Named port of shipment), as specified in the schedule form. The charges for insurance and transportation of the goods to the port/place of destination.
 - (ii) The agency commission charges, if any.
 - (iii) The installation, commissioning and training charges including any incidental services, if any.
- C) The Institute is having exemption for the payment of Excise Duty under notification number 10/97 dated 01.03.1997 and Customs Duty under notification No.51/96 dated 23.07.1996. Hence Excise Duty and Customs Duty, if any, should be shown separately. No other charges than those mentioned clearly in the quotation will be paid.
- D) Sales Tax: We are not authorized to issue any Sales Tax Form 'C' & 'D'.

• VALIDITY OF OFFER:

The prices must be valid at least for a period of **90 days for indigenous supplies** & **180 days for imports** from the date of opening of the quotation.

- The delivery period should be specifically stated. EX-Stock and earlier delivery may be preferred.
- Samples wherever asked for will not be paid for these should be delivered in the office of the
 undersigned securely labelled and packed. In case of terms who submit the samples through
 Railways/Road Transport the freight should be prepaid and RR should be in favour of Stores and
 purchase of CIAB, Mohali.

• REASONABILITY OF PRICES:

Please quote best minimum prices applicable for a premier Research Institution, <u>leaving no scope for</u> any further negotiations on prices.

The quoting party should give a **certificate** to the effect that the quoted prices are the minimum and they have <u>not quoted</u> the same item on lesser rates than those being offered to CIAB to any other customer nor they will do so till the validity of offer or execution of the purchase order, whichever is later. We request you to fill the price reasonability certificate format in the enclosed file (Annexure "D").

The party must give details of identical or similar equipment, if any, supplied three National laboratories or R&D organizations setup by GOI during last five years along with the final price paid and Performance certificate from them.

The rates quoted should be in Nos and otherwise your quotations is liable to be ignored.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

• SPECIFICATIONS:

- A. Specifications are basic essence of the product. It must be ensured that the offers must be strictly as per our specifications. At the same time, it must be kept in mind that merely copying our specifications in the quotation shall not make the parties eligible for consideration of the quotation. A quotation has to be supported with the printed technical leaflet/literature of the quoted model of the item by the quoting party/manufacturer and the specifications mentioned in the quotation must be reflected/supported by the printed technical leaflet/literature. Therefore, the model quoted invariably be highlighted in the leaflet/literature enclosed with the quotation. Non-compliance of the above shall be treated as incomplete/ambiguous and the offer can be ignored without giving an opportunity for clarification/negotiation etc. to the quoting party.
- **B.** The technical bid shall be evaluated for acceptability by the technical committee and may call the tenderers for discussion. If necessary, the committee may modify the technical specification to suit the CIAB requirement.
- **C.** The compliance statement of specification as per Annexure 'A' please be filled and supplied with the quotation.
- D. The items which can/are to be procured indigenously may be listed separately.

PAYMENT CONDITION:

Payment on Bill Basis after supply: For local supplies the payment will be made through NEFT/RTGS/TT only after satisfactory installation, commissioning and performance of the equipment at CIAB and after certification by our technical expert/scientist and with the submission of PBG of 10% of FOB/FCA value to CIAB Mohali valid for period of 15 months from the date of installation. All foreign bank charges shall go to the supplier account.

- COMMENCEMENT OF WARRANTY PERIOD: The warranty period of an item shall commence from
 the date of satisfactory installation/commissioning/demonstration at the project site in CIAB, MOHALI.
 The warranty period and validity of Performance Guarantee shall be extended for the period of delay in
 satisfactory installation and delay in warranty services.
- No Advance Payment: No Advance payment will be made to any supplier.
- SUPPLY AND INSTALLATION TIME: The ordered material should be supplied within 80 days from the date of confirmed Letter of Credit. The equipment should be installed/commissioned and demonstrated, by the supplier at the lab immediately but not later than 30 days' material received at CIAB Laboratory and the same will be put under operation to the satisfaction of our technical expert/Scientist who will test the performance of the equipment. No separate charges for installation etc. will be paid to the party beyond the quoted prices.
- <u>GUARANTEE/WARANTY:</u> The equipment/instrument must be guaranteed/warranted for a period of
 one years from the date of its satisfactory installation/commissioning against all manufacturing
 defects. If the equipment is found defective during this period, the whole equipment or part thereof will
 have to be replaced/repaired by the supplier free of cost at the lab. or at site of the supplier for which 'to
 and fro' expenses will be borne by the supplier.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

<u>AFTER SALES SERVICES:</u> It should be clearly mentioned in the quotation whether the after sales services during and after the completion of warranty shall be provided directly by the supplier or their authorized agent/representative. Terms of the after sales services, if any, may be mentioned in the offer. However, in both the cases the original supplier shall be responsible for poor performance/services. The company should have service engineers within 300 km of the range of the institute.

• INSPECTION:

- **a.** The inspection of the system will be done by our technical expert /Scientist in the presence of firm's representative.
- b. In case of receipt of the material in short supply or damaged condition the supplier will have to arrange the supplies/ replacement of goods free of cost pending the settlement of the insurance case wherever applicable on FOR at the lab. or CIF basis till satisfactory installation of the system.
- c. The supplier should arrange for physical Inspection of the items directly or through their authorized representative within seven days of arrival of the consignment failing which they will be responsible for the losses. After the shipment is effected, the supplier/its representative/Indian agents must remain in touch with the lab/instt. to ascertain the date of arrival of consignment.

PENALTY CLAUSE FOR LATE DELIVERY & LATE INSTALLATION:

- **a.** Subject to operation of Force Majeure, time for delivery and acceptance is the essence of this contract. The supplier shall arrange to ship the ordered materials within the delivery period mentioned in the order unless extended with/without penalty.
- **b.** In case of delay in supply on part of the supplier, a penalty @ 1% per week of Order/FOB value will be charged for delayed period subject to a maximum of 10% of order/FOB value.
- **c.** Apart from the delay in supply, In case of delay in Installation on part of the supplier, a penalty @ 1% per week of Order/FOB value will be charged for delayed period of installation subject to a maximum of 10% of order/FOB value.
- d. If the delay in the shipment of the ordered materials attributable to the supplier exceeds agreed time period from the date of original agreed upon date of shipment and extended with/without penalty, the E shall have the right to cancel the contract/purchase order and recover the liquidated damages from other dues of the party or by legal means. It will also affect the other/future business dealings with such suppliers.

• TRAINING:

Wherever needed, Our Scientist/Technical persons should be trained by the supplier at the project site free of cost. In case the person is to be trained at supplier's site abroad or in India it should be mentioned in the quotation clearly. The supplier should bear all the expenses for such training including 'to & fro' fares and lodging & boarding charges.

• LATE/ DELAYED /UNSOLICITED QUOTATION:

Late or delayed/Unsolicited quotations/offers shall not be considered at all. These will be returned to the firms as it is. Post tender revisions/corrections shall also not be considered.



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

ACCEPTANCE OR REJECTION OF OFFER:

The Chief Executive Officer, CIAB, Mohali reserves the right to accept or reject any quotation in part or full without assigning any reason thereof. The successful bidder should submit Order acceptance within 15 days from the date of issue to your successful bidder.

• PAGE NUMBERING & SIGNATURES:

Your offer should be a page numbered and signed by an authorized signatory giving his/her name and designation below the signatures.

- **INTERIM ENQUIRIES:** No interim inquiries will be attended.
- In case the item is quoted in foreign currency, please specify on your quote:
 - Gross weight of the consignment
 - Chargeable weight of the consignment
 - Nature of the consignment (Voluminous/ Non Voluminous)
 - Dimensions of the consignment after packing
- FORCE MAJEURE: The Supplier shall not be liable for forfeiture of its performance bank guarantee liquidated damages or termination for default, if and to the extent that, it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure. For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions and freight embargoes. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- CLEARANCE OF MATERIAL FROM INDIAN CUSTOMS In case of import, the goods so shipped will be cleared
 in INDIA by your Indian counterpart or India Agent. The authorization, Custom Duty Exemption Certificate and
 other documents will be provided by CIAB. The necessary charges for the clearance of consignment and
 concessional Custom Duty will be paid be the CIAB.

Yours faithfully,

Stores and Purchase Officer Tele: 0172-5221522

E-mail: hardipbpu@gmail.com



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE 'A'

FORMAT OF COMPLIANCE STATEMENT OF SPECIFICATIONS

S.	Name of specifications/part /	Specifications		Povintion if any to be	Whether
		•	Compliance	Deviation, if any, to be	
N.	Accessories of tender enquiry	of quoted	Whether	indicated in	the
		Model/ Item	"YES" Or	unambiguous terms	compliance
					/ deviation
			"NO"		is clearly
					mentioned
					in technical
					leaflet/
					literature
1	2	3	4	5	6
1	HPLC		1	1	
	High pressure binary pump				
	with wide range of flow rate				
	up to 9.9 ml/min or better.				
	•				
	Precision: 0.1% or less.				
	The machine should be				
	operable both in isocratic and				
	gradient mode.				
	Maximum operating pressure:				
	400 bar or more.				
	The pump should be corrosion				
	resistant and applicable to				
	wide range of pH and solvents				
	Flow accuracy: 1% or better				
2	Degasser Unit				
	Degassed solvent channels: 2				
	or more channels				
3	Auto sampler			,	,
	The auto sampler should work				
	with injection volume up to				
	100 µl.				
	F ***				



Center of Innovative and Applied Bioprocessing (CIAB) (A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

	Tray capacity of 90 vials or	 		
	more.			
	Auto sampler with provision of			
	rinsing of needle between			
	injections with variable			
	injection volume.			
	Carry over: 0.1% or better.			
4	Column oven			
•	Column Oven			
	Oven should have			
	temperature control system.			
	temperature control system.			
	Operating temperature:			
	ambient to 80°C or more.			
	Charlet L. L. 20			
	Should be able to hold 30 cm			
	column in either horizontal or			
	vertical format.			
	Accuracy: ± 0.5°C or less.			
	7.0001 dey. ± 0.0 € 01 1600.			
5	PDA/DAD detector	 		
			T	1
	Wavelength range: 190 to 800			
	Wavelength range: 190 to 800 nm or wider.			
	nm or wider.			
	nm or wider. Wavelength accuracy: ± 1 nm			
	nm or wider.			
	nm or wider. Wavelength accuracy: ± 1 nm (maximum)			
	nm or wider. Wavelength accuracy: ± 1 nm			
	nm or wider. Wavelength accuracy: ± 1 nm (maximum)			
	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more.			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1×10^{-3} AU/ hr or less.			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more.			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less RI range: 1-1.75 RIU Flow cell volume: 9 μL or less.			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less RI range: 1-1.75 RIU			
	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less RI range: 1-1.75 RIU Flow cell volume: 9 µL or less. Noise: 2.5×10-9 RIU or less			
6	nm or wider. Wavelength accuracy: ± 1 nm (maximum) Drift: 1 ×10 ⁻³ AU/ hr or less. Linearity: 2 AU or more. RI detector Drift: 2×10 ⁻⁷ RIU/ hr or less RI range: 1-1.75 RIU Flow cell volume: 9 μL or less.			



Center of Innovative and Applied Bioprocessing (CIAB) (A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

	The software should be		
	original and authenticate and		
	capable of having single point		
	control of all system		
	dependable components.		
	The software should be		
	compatible for running		
	GPC/SEC analysis and its		
	calibration.		
	Should have option for report		
	generation, online help and		
	answer Real time view of the		
	chromatograms.		
	One branded desktop		
	computer (processor Intel core		
	i7 @3.40 GHz; RAM – 16 GB;		
	Memory 1 TB; screen size 23		
	inch or more; DVD writer		
	drive; keyboard and mouse)		
	with LaserJet color		
	multifunction printer.		
8	Optional accessories:		
8			
8	Optional accessories:		
8	Optional accessories: Column for analysis of sugars		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose,		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector;		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector;		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos. Column for analysis of		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos . Column for analysis of carbohydrate sugars (sucrose,		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos. Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose,		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos. Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose etc.) in H ₂ O		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos . Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose etc.) in H ₂ O using RI detector; Dimensions:		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos. Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose etc.) in H ₂ O using RI detector; Dimensions: 300 mm L and 8 μm particle		
8	Optional accessories: Column for analysis of sugars (glucose, galactose, xylose, arabinose, mannose etc.), ethanol, furan compounds, acids (levulinic acid, acetic acid, formic acid) in 5 mM H ₂ SO ₄ using RI detector; Dimensions: 300 mm L and 8 μm particle size - Two Nos . Column for analysis of carbohydrate sugars (sucrose, maltose, lactose, glucose, galactose, fructose etc.) in H ₂ O using RI detector; Dimensions:		

E-mail: spo@ciab.res.in; hardipbpu@gmail.com Office Tel: 0172-5221411, 5221465

Website: www.ciab.res.in Fax: 0172- 5221499



Center of Innovative and Applied Bioprocessing (CIAB) (A National Institute under Department of Biotechnology, Government of India) Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

C18 column with dimensions: 250 mm L and 5 µm particle size - Two Nos .		
Appropriate guard column should be provided- Two Nos .		
Consumables (HPLC vial with septa of 200 Nos.; syringe needles of 5 Nos.; glass solvent filters of 10 Nos. and other sufficient number of fragile or frequently changing parts).		
All the accessories prices should be included in the quote separately.		



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O.

S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE "C"

Name & Address of the firm

Authorized Signature & Seal of the Firm

PRICE SCHEDULE FOR GOODS BEING OFFERED FROM ABROAD

	2	3	4	5	6	6	7	7	8	8	9
SI No	Item Description	Country of origin			Unit	Unit Price			Insura transp n to place	ges for ance & portatio port/ ce of nation	Total Price (7+8)
					FOB (named port of shipment)	FCA (named place of delivery)	FOB (named port of shipment)	FCA (named place of delivery)	Ocea n	Air	CIF
ota —	Bid price in fo	oreign Cui in wor		· · · · · ·							
)) () () () (indian agents nstallation, co cost of Spares he Indian agent naccordance he cost of operatified: That I/ we CIAB/1(438) That the term That the information agent he cost of operation in the cost of operation in the term That the information in the the agent in the information in the informatio	mmission s ent's commander ge Rate p with claus tional item have gone b)/17-18/I ns and concermation fur	mission prevailir se 22.1 ns shall e through M-Pur of ditions graished	shall ng on t of GC be incough an lated 2 given ir by me	paid in India he date of r iC. dicated sepa d understo 7.12.2017 ar the tender /us is true a	an Rupees negotiation arately. od the recond rates have notice are and correct.	of docume quirements we been quot acceptable to	given in tl ed accordir o me/us.	ngly.	Tender	Notice
) () () () (ndian agents nstallation, co Cost of Spares he Indian age on the Exchann accordance he cost of opecertified: That I/ we CIAB/1(438 That the term That the info	mmission s ent's commander ge Rate p with claus tional item have gone b)/17-18/I ns and concermation fur	mission prevailir se 22.1 ns shall e through M-Pur of ditions graished	shall ng on t of GC be incough an lated 2 given ir by me	paid in India he date of r iC. dicated sepa d understo 7.12.2017 ar the tender /us is true a	an Rupees negotiation arately. od the recond rates have notice are and correct.	of docume quirements we been quot acceptable to organization	given in tl ed accordir o me/us.	ngly. nt.	Tender	Notice



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE "B"

Authorized Signature & Seal of the Firm

PRICE SCHEDULE FOR GOODS BEING OFFERED FROM INDIA IN INR

	Name of the Bio	dder								
	NIQ No									
1	2	3	4	5	6	7	8	9	10	11
SI. No.	Item Description	Country of Origin	Unit	Qty	Ex-Works. Ex- Warehouse, Ex-show room off the shelf price (inclusive of all taxes already paid)	Ex-Works. Ex-Warehouse, Ex-show room off the shelf price (inclusive of all taxes already paid) 5x6	VAT & other taxes like excise duty payable, if contract is awarded	Packing & forwarding up to station of dispatch, if any	Charges of inland transportat ion, insurance up to Lab./Instt.	Installatio n, Commissi oning & training charges, If any.
	Total Bid price i	n Indian Rupe	es							in
	Note: (a) The cost of (b) Cost of span	-								
	It is certified:									
	ii) CIAB/1(iii) That the	(438)/17-18 terms and co information f	/N-Pur nditions urnishe	dated 2: given in d by me	7.12.2017 and the tender not /us is true and	the requirement rates have been of tice are acceptable correct. ernment organiza	uoted accor e to me/us.	dingly.	Fender Noti	ice no.
							Signature	of Bidder		
							Name:			
							Name &	Address of	f the firm	



Center of Innovative and Applied Bioprocessing (CIAB) (A National Institute under Department of Biotechnology, Government of India)

(A National Institute under Department of Biotechnology, Government of India)
Sector-81(Knowledge City), Manauli P.O.
S.A.S. Nagar, Mohali-140306, Punjab, India

ANNEXURE "D"

PRICE REASONABILITY CERTIFICATE

This is to certi		fered the maximum pos	sible discount to you in our Quotation No.	
on lesser rates	s than those being	·	nimum and we have not quoted the same ite other customer nor they will do so till the er is later.	∍m
			Seal and Signature of the tenderer	



(A National Institute under Department of Biotechnology, Government of India)

Sector-81(Knowledge City), Manauli P.O. S.A.S. Nagar, Mohali-140306, Punjab, India

Annexure 'E'

TERMS AND CONDITIONS OF THE SERVICE CONTRACT

- i) During the service contract period, the firm shall provide at least THREE preventive maintenance visits and attend to all emergent and break-down calls per year.
- ii) The service contract charges beyond warranty period must be quoted separately for each year strictly as under and quoting of rates in ambiguous terms or in percentage terms etc., shall render the tender liable to rejection: -

- iii) The service contract charges should be quoted only for services and travel cost etc. and should not include the cost of any replacement parts/components which shall be arranged by the Institute at its own cost.
- In each block of 365 days during the entire service contract period the firm will be responsible to maintain the equipment in good working condition for a period of 328 days (i.e. 90% uptime). The time taken by the Institute in providing to the firm the spare parts shall not count towards the downtime. All the complaints will be attended by the firm within 5 days of the dispatch of the complaint to their office. In case there is delay of more than 5 days in attending to a complaint then the number of days in excess of the permissible response time shall be counted in the downtime. The above said response time of 5 days for attending to a complaint will not be counted in the downtime. In case total downtime exceeds the permissible limit as defined above, the service contract shall be extended by the period in excess of the permissible downtime subject to limit of 30 days in a block of 365 days. However, for the period of the downtime in excess of 30 days in a block of 365 days. However, for the period of the downtime in excess of 30 days, a fine equivalent of double the daily service contract charges shall be recovered from the firm.
- v) The replaced parts shall remain the property of the Institute.
- vi) The firm shall try to repair the equipment at Institute itself. However, the equipment may be taken to their site, on their own expenses if in case it is not possible to repair the same at CIAB, the firm shall take the entire responsibility for the safe custody and transportation of the equipment taken out for repairs till this is handed over to purchaser after repair. Any loss of equipment or its accessories on account of theft, fire or any such reasons shall be the sole risk and responsibility of the firm who will compensate the Institute for such losses at FOB value of the damaged/lost equipment/part including accessories.
- vii) During the service contract period the parts/components that may be needing replacement shall made available by the Institute at their own expenses and all import formalities, payment of custom duty etc., shall be complied with/borne by the Institute.
- viii) All service contract charges will be invoiced on yearly basis on completion of annual maintenance contract. The payment of the invoice will be made after verification of service invoice satisfactorily by user within 30 days of the date of submission of the invoice.
- ix) No price revision will be accepted by the Institute during the entire tenure of the service contract agreement.